



## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **“Rolytray” PVC Channel for Panel Wiring**



| Size<br>(mm)<br><br>H X W | R-1 Type PVC<br>Channel          | R-2 Type PVC<br>Channel          | R-3 Type PVC<br>Channel          |
|---------------------------|----------------------------------|----------------------------------|----------------------------------|
|                           | Standard<br>Packing<br>(Per Box) | Standard<br>Packing<br>(Per Box) | Standard<br>Packing<br>(Per Box) |
| 15 x 15                   | 225 Mtrs                         | 225 Mtrs                         | -                                |
| 25 x 25                   | 100 Mtrs                         | 120 Mtrs                         | -                                |
| 25 x 45                   | -                                | -                                | 90 Mtrs                          |
| 30 x 25                   | 90 Mtrs                          | 110 Mtrs                         | 120 Mtrs                         |
| 40 x 25                   | -                                | -                                | 125 Mtrs                         |
| 45 x 25                   | 100 Mtrs                         | 110 Mtrs                         | 120 Mtrs                         |
| 40 x 40                   | -                                | -                                | 90 Mtrs                          |
| 45 x 45                   | 60 Mtrs                          | 70 Mtrs                          | 80 Mtrs                          |
| 45 x 60                   | 40 Mtrs                          | 60 Mtrs                          | 60 Mtrs                          |
| 60 x 25                   | 80 Mtrs                          | 80 Mtrs                          | 90 Mtrs                          |
| 60 x 40                   | -                                | -                                | 80 Mtrs                          |
| 60 x 45                   | 50 Mtrs                          | 60 Mtrs                          | 70 Mtrs                          |
| 60 x 60                   | 40 Mtrs                          | 50 Mtrs                          | 50 Mtrs                          |
| 75 x 25                   | 60 Mtrs                          | 60 Mtrs                          | -                                |
| 75 x 45                   | 40 Mtrs                          | 50 Mtrs                          | -                                |
| 75 x 60                   | -                                | 30 Mtrs                          | -                                |
| 75 x 75                   | 30 Mtrs                          | 30 Mtrs                          | -                                |
| 80 x 25                   | 50 Mtrs                          | -                                | 60 Mtrs                          |
| 80 x 40                   | -                                | -                                | 60 Mtrs                          |
| 80 x 45                   | 35 Mtrs                          | -                                | 50 Mtrs                          |
| 80 x 60                   | 30 Mtrs                          | -                                | 40 Mtrs                          |
| 80 x 80                   | 30 Mtrs                          | 30 Mtrs                          | 30 Mtrs                          |

Continued...

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **“Rolytray” PVC Channel for Panel Wiring**

| Size<br>(mm)<br>H X W | R-1 Type PVC<br>Channel          | R-2 Type PVC<br>Channel          | R-3 Type PVC<br>Channel          |
|-----------------------|----------------------------------|----------------------------------|----------------------------------|
|                       | Standard<br>Packing<br>(Per Box) | Standard<br>Packing<br>(Per Box) | Standard<br>Packing<br>(Per Box) |
| 100 x 45              | -                                | -                                | 40 Mtrs                          |
| 100 x 60              | -                                | -                                | 30 Mtrs                          |
| 100 x 80              | -                                | -                                | 24 Mtrs                          |
| 100 x 100             | 18 Mtrs                          | 18 Mtrs                          | 18 Mtrs                          |
| 150 x 150             | -                                | 8 Mtrs                           | -                                |

**Colour:** Grey

**Std. Length:** 1 Meter / 2 Meters (On Order)

**HSN:** 8538



**PVC Duct Cutter**  
**For Cutting Cable Tray up to 60 mm Width**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **Soft Sleeves for Ferrule Printing**



| <b>Internal<br/>Diameter<br/>(MM)</b> | <b>Wall<br/>Thickness<br/>(MM)</b> | <b>Standard<br/>Packing/<br/>Coil</b> | <b>Suitable for<br/>Flexible<br/>Wire</b> |
|---------------------------------------|------------------------------------|---------------------------------------|-------------------------------------------|
| 2.20                                  | 0.40                               | 100 Meters                            | > 0.25 Sq. mm                             |
| 2.50                                  | 0.40                               | 100 Meters                            | 0.25 Sq. mm                               |
| 3.00                                  | 0.40                               | 100 Meters                            | 0.50 Sq. mm                               |
| 3.20                                  | 0.40                               | 100 Meters                            | 0.75 Sq. mm                               |
| 3.50                                  | 0.40                               | 100 Meters                            | 1.00 Sq. mm                               |
| 3.70                                  | 0.40                               | 100 Meters                            | 1.50 Sq. mm                               |
| 4.00                                  | 0.40                               | 100 Meters                            | 2.50 Sq. mm                               |
| 4.20                                  | 0.40                               | 100 Meters                            | 2.50 Sq. mm                               |
| 4.50                                  | 0.40                               | 100 Meters                            | 2.50 Sq. mm                               |
| 5.00                                  | 0.40                               | 100 Meters                            | 4.00 Sq. mm                               |
| 5.50                                  | 0.40                               | 100 Meters                            | 4.00 Sq. mm                               |
| 6.00                                  | 0.40                               | 100 Meters                            | 6.00 Sq. mm                               |
| 6.20                                  | 0.50                               | 100 Meters                            | 6.00 Sq. mm                               |
| 7.00                                  | 0.50                               | 100 Meters                            | 10.00 Sq. mm                              |
| 8.00                                  | 0.50                               | 100 Meters                            | 16.00 Sq. mm                              |
| 9.00                                  | 0.50                               | 30 Meters                             | 25.00 Sq. Mm                              |
| 10.00                                 | 0.50                               | 30 Meters                             | 35.00 Sq. Mm                              |

**Application:** For Ferrule Marking in MAX / Elmark / Canon Machines

**Standard Colour:** White

**HSN Code:** 3917



[White / Yellow Colour Heat Shrink Sleeve also available for Ferrul Printing](#)

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **Max Letawtin Machine Consumables**



| Description                                | Length / Cartridge | Standard Packing  |
|--------------------------------------------|--------------------|-------------------|
| Max Machine Cartridge<br>LMIR300B          | 50 Meter           | 5 Nos /<br>10 Nos |
| 5 mm Yellow / White Tape<br>LMTP 305 Y / W | 8 Meter            | 5 Nos             |
| 9 mm Yellow / White Tape<br>LMTP 309 Y / W | 8 Meter            | 5 Nos             |
| 12 mm Yellow / White Tape<br>LMTP 312 Y/W  | 8 Meter            | 5 Nos             |

**Suitable for Machines: LM380, LM 380 EZ , LM 390, LM 390A**



**Locally Developed Compatible Cartridge**

**Suitable for Machines: LM380, LM 380 EZ , LM 390, LM 390A**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

**Date: 1-March-2018**

### **Canon Machine Consumables**



| <b>Description</b>        | <b>Length / Cartridge</b> | <b>Standard Packing</b> |
|---------------------------|---------------------------|-------------------------|
| Canon Cartridge           | 100 Meter                 | 5 Nos                   |
| 6 mm Yellow / White Tape  | 30 Meter                  | 5 Nos                   |
| 9 mm Yellow / White Tape  | 30 Meter                  | 5 Nos                   |
| 12 mm Yellow / White Tape | 30 Meter                  | 5 Nos                   |


**Suitable for Machines: MK2600 & MK1500**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 01-March-2018

### **PVC Heat Shrinkable Sleeve**



| Size<br>(Width) | Suitable for Busbar Size     |
|-----------------|------------------------------|
| 17 mm           | 9x3 , 10x3                   |
| 20 mm           | 9x6 , 10x6 , 12x3            |
| 27 mm           | 12x6 , 15x3                  |
| 30 mm           | 16x3 , 18x6 , 20 x3          |
| 35 mm           | 20x6 , 25x3                  |
| 41 mm           | 25x6 , 25x10                 |
| 48 mm           | 30x10 , 30x6 , 25 x12        |
| 55 mm           | 38x6 , 30x12                 |
| 61 mm           | 40x10 , 40x6 , 38x12 , 40x12 |
| 73 mm           | 50x6                         |
| 81 mm           | 50x12 , 50x10                |
| 85 mm           | 60x6 , 60x10                 |
| 93 mm           | 75x6                         |
| 103 mm          | 75x12, 80x6                  |
| 110 mm          | 80x12 , 90x12 , 9 0x6        |
| 128 mm          | 100x10, 100x6                |
| 140 mm          | 100x12                       |
| 170 mm          | 125x10, 125x6                |
| 190 mm          | 150x12 , 150x10 , 150x6      |
| 210 mm          | 175x12 , 175x10 , 175x6      |
| 230 mm          | 200x12                       |

**Standard Col ours: Red, Yellow, Blue, Black**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **Polyolefin Heat Shrinkable Sleeve**

| <b>Dimension<br/>(Before Shrink /<br/>After Shrink)<br/>(MM)</b> | <b>Standard<br/>Packing/ Coil</b> |
|------------------------------------------------------------------|-----------------------------------|
| 1.0 / 0.50                                                       | 400 Mtrs                          |
| 1.5 / 0.75                                                       | 400 Mtrs                          |
| 2.0 / 1.0                                                        | 400 Mtrs                          |
| 2.5 / 1.25                                                       | 400 Mtrs                          |
| 3 / 1.5                                                          | 400 Mtrs                          |
| 4 / 2                                                            | 400 Mtrs                          |
| 5 / 2.5                                                          | 200 Mtrs                          |
| 6 / 3                                                            | 200 Mtrs                          |
| 7 / 3.5                                                          | 100 Mtrs                          |
| 8 / 4                                                            | 100 Mtrs                          |
| 9 / 4.5                                                          | 100 Mtrs                          |
| 10 / 5                                                           | 100 Mtrs                          |
| 11 / 5.5                                                         | 100 Mtrs                          |
| 12 / 6                                                           | 100 Mtrs                          |
| 13 / 6.5                                                         | 100 Mtrs                          |
| 14 / 7                                                           | 100 Mtrs                          |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **Polyolefin Heat Shrinkable Sleeve**

| <b>Dimension<br/>(Before Shrink /<br/>After Shrink)<br/>(MM)</b> | <b>Standard<br/>Packing/ Coil</b> |
|------------------------------------------------------------------|-----------------------------------|
| 15 / 7.5                                                         | 100 Mtrs                          |
| 16 / 8                                                           | 100 Mtrs                          |
| 18 / 9                                                           | 100 Mtrs                          |
| 20 / 10                                                          | 100 Mtrs                          |
| 22 / 11                                                          | 100 Mtrs                          |
| 25 / 12.5                                                        | 50 Mtrs                           |
| 30 / 15                                                          | 50 Mtrs                           |
| 35 / 17.5                                                        | 50 Mtrs                           |
| 40 / 20                                                          | 50 Mtrs                           |
| 50 / 25                                                          | 25 Mtrs                           |
| 60 / 30                                                          | 25 Mtrs                           |
| 70 / 35                                                          | 25 Mtrs                           |
| 80 / 40                                                          | 25 Mtrs                           |
| 90 / 45                                                          | 25 Mtrs                           |
| 100 / 50                                                         | 25 Mtrs                           |
| 120 / 60                                                         | 25 Mtrs                           |
| 150 / 75                                                         | 25 Mtrs                           |

**Application: For Ferrule Printing, LT Busbar & Wire insulation**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018

### **PVC Sleeves For Wire Protection, Identification & Harnessing**



| <b>Internal Diameter<br/>(MM)</b> | <b>Wall Thickness<br/>(MM)</b> | <b>Standard Length/ Coil</b> |
|-----------------------------------|--------------------------------|------------------------------|
| 2.5                               | 0.4                            | 100 Meters                   |
| 3                                 | 0.4                            | 100 Meters                   |
| 4                                 | 0.4                            | 100 Meters                   |
| 5                                 | 0.5                            | 30 Meters                    |
| 6                                 | 0.5                            | 30 Meters                    |
| 7                                 | 0.5                            | 30 Meters                    |
| 8                                 | 0.5                            | 30 Meters                    |
| 9                                 | 0.5                            | 30 Meters                    |
| 10                                | 0.5                            | 30 Meters                    |
| 12                                | 0.5                            | 30 Meters                    |
| 14                                | 0.75                           | 30 Meters                    |
| 15                                | 0.75                           | 30 Meters                    |
| 16                                | 0.75                           | 30 Meters                    |
| 18                                | 0.75                           | 30 Meters                    |
| 20                                | 0.75                           | 30 Meters                    |
| 22                                | 0.75                           | 30 Meters                    |

**Application:** Internal Wiring- Insulation- General App.


**Colour:** Red, Yellow, Blue, Black, Green & Grey

**HSN:** 3917

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“PEX” Conical Busbar Support**

| Size     | Standard Packing |
|----------|------------------|
| 25 x M6  | 50 Nos           |
| 30 x M6  | 50 Nos           |
| 30 x M8  | 50 Nos           |
| 35 x M8  | 50 Nos           |
| 40 x M8  | 50 Nos           |
| 40 x M10 | 50 Nos           |
| 50 x M10 | 50 Nos           |
| 50 x M12 | 50 Nos           |
| 60 x M10 | 50 Nos           |
| 60 x M12 | 50 Nos           |

### **“PEX” Hexagonal Busbar Support**

| Size     | Standard Packing |
|----------|------------------|
| 25 x M6  | 50 Nos           |
| 30 x M6  | 50 Nos           |
| 30 x M8  | 50 Nos           |
| 40 x M8  | 50 Nos           |
| 40 x M10 | 50 Nos           |
| 50 x M10 | 50 Nos           |
| 50 x M12 | 50 Nos           |
| 60 x M10 | 50 Nos           |
| 60 x M12 | 50 Nos           |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“PEX” 1 Way Finger Support**

| Size   | Busbar Size | Hole to Hole Distance | Standard Packing |
|--------|-------------|-----------------------|------------------|
| PK106S | 7 mm        | 22 mm                 | 50 Nos           |
| PK110S | 11 mm       | 22 mm                 | 50 Nos           |
| PK112S | 13.7 mm     | 22 mm                 | 50 Nos           |
| PK106W | 7 mm        | 32 mm                 | 50 Nos           |
| PK110W | 11 mm       | 32 mm                 | 50 Nos           |
| PK112W | 13.7 mm     | 32 mm                 | 50 Nos           |
| PK106K | 7 mm        | 40 mm                 | 50 Nos           |
| PX110K | 11 mm       | 40 mm                 | 50 Nos           |
| PX112K | 13.7 mm     | 40 mm                 | 50 Nos           |

### **“PEX” 2 Way Finger Support**

| Size   | Busbar Size | Busbar Clearance | Hole to Hole Distance | Standard Packing |
|--------|-------------|------------------|-----------------------|------------------|
| PX206W | 7 mm        | 7 mm             | 32 mm                 | 50 Nos           |
| PX210W | 11 mm       | 9 mm             | 32 mm                 | 50 Nos           |
| PX212W | 13.7 mm     | 12 mm            | 32 mm                 | 50 Nos           |
| PX206K | 7.2 mm      | 5.8 mm           | 40 mm                 | 50 Nos           |
| PX210K | 11 mm       | 9 mm             | 40 mm                 | 50 Nos           |
| PX212K | 13.7 mm     | 12 mm            | 40 mm                 | 50 Nos           |


## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“PEX” 3 Way Finger Support**

| Size   | Busbar Size | Busbar Clearance | Hole to Hole Distance | Standard Packing |
|--------|-------------|------------------|-----------------------|------------------|
| PX306W | 7.2 mm      | 5.8 mm           | 32 mm                 | 50 Nos           |
| PX310W | 11 mm       | 9 mm             | 50 mm                 | 50 Nos           |
| PX312W | 13.7 mm     | 11 mm            | 50 mm                 | 50 Nos           |
| PX306K | 7 mm        | 5.8 mm           | 40 mm                 | 50 Nos           |
| PX310K | 11 mm       | 9 mm             | 50 mm                 | 50 Nos           |
| PX312K | 13.7 mm     | 12 mm            | 50 mm                 | 50 Nos           |

### **“PEX” 4 Way Finger Support**

| Size   | Busbar Size | Busbar Clearance | Hole to Hole Distance | Standard Packing |
|--------|-------------|------------------|-----------------------|------------------|
| PX406W | 7.2 mm      | 5.8 mm           | 40 mm                 | 50 Nos           |
| PX406K | 7.2 mm      | 5.8 mm           | 50 mm                 | 50 Nos           |
| PX410K | 11 mm       | 9 mm             | 80 mm                 | 50 Nos           |
| PX412K | 13.7 mm     | 12 mm            | 80 mm                 | 50 Nos           |
| PX506K | 13.7 mm     | 12 mm            | 80 mm                 | 50 Nos           |
| PX606K | 13.7 mm     | 12 mm            | 80 mm                 | 50 Nos           |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“PEX” L Type Support**

| Size     | Height | Standard Packing |
|----------|--------|------------------|
| PX L-60  | 60 mm  | 50 Nos           |
| PX L-85  | 85 mm  | 50 Nos           |
| PX L-100 | 100 mm | 50 Nos           |
| PX L-125 | 125 mm | 50 Nos           |
| PX L-150 | 150 mm | 50 Nos           |



### **Pilot Led Lights** **22.5 mm Diameter**

| LED Lights | Voltage       | Standard Packing |
|------------|---------------|------------------|
| Red        | 12 V AC / DC  | 10 Nos           |
| Amber      | 24 V AC / DC  |                  |
| Blue       | 48 V AC / DC  |                  |
| Green      | 110 V AC / DC |                  |
| Yellow     | 220 V DC      |                  |
| White      | 240 V AC      |                  |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

**Date: 1-March-2018**



### **One Side Adhesive Gasket**

| Size<br>(W x Thickness) |
|-------------------------|
| 10 mm x 3 mm            |
| 15 mm x 3 mm            |
| 15 mm x 5 mm            |
| 20 mm x 3 mm            |
| 20 mm x 5 mm            |
| 25 mm x 3 mm            |
| 25 mm x 5 mm            |
| 30 mm x 3 mm            |
| 30 mm x 5 mm            |
| 40 mm x 3 mm            |
| 40 mm x 5 mm            |
| 50 mm x 3 mm            |
| 50 mm x 5 mm            |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“POWERMAT” Screw Type Air Vent**

| Dimension (mm) | Cut Off (mm) | Fan Size | Part No. |
|----------------|--------------|----------|----------|
| 131 x 131      | 105 x 105    | 4”       | EV 100   |
| 185 x 185      | 155 x 155    | 6”       | EV 150   |
| 236 x 236      | 204 x 204    | 8”       | EV 200   |



### **“POWERMAT” Snap & Dom Type Air Vent**

| Dimension (mm) | Cut Off (mm) | Fan Size | Part No. |
|----------------|--------------|----------|----------|
| 130 x 130      | 123 x 123    | 4”       | AV130130 |
| 184 x 184      | 177 x 177    | 6”       | AV184184 |
| 236 x 236      | 224 x 224    | 8”       | AV230230 |
| 184 x 184      | 177 x 177    | 6”       | AV184DOM |
| 236x236        | 224x224      | 8”       | AV230DOM |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“Flucon” Nylon Corrugated Flexible Pipe**

| <b>Size<br/>(I.D)</b> | <b>Size<br/>(O.D)</b> | <b>Bending<br/>Radius</b> | <b>Standard Length<br/>/ Roll</b> |
|-----------------------|-----------------------|---------------------------|-----------------------------------|
| 10 mm                 | 14.00 mm              | 20 mm                     | 50 Meters                         |
| 12 mm                 | 15.80 mm              | 30 mm                     | 50 Meters                         |
| 16 mm                 | 21.20 mm              | 40 mm                     | 50 Meters                         |
| 22 mm                 | 28.50 mm              | 42 mm                     | 50 Meters                         |
| 29 mm                 | 34.50 mm              | 55 mm                     | 50 Meters                         |
| 36 mm                 | 42.50 mm              | 62 mm                     | 25 Meters                         |
| 48 mm                 | 54.50 mm              | 72 mm                     | 25 Meters                         |

**Standard Colour: Black**

**Available in Slitted and Non-Slitted Type**

**FR Grade can be made on Request (Subject to Minimum Order Quantity)**

**HSN Code: 3917**

### **“Flucon” Nylon Corrugated Flexible Pipe Glands**

| <b>Assembly<br/>Threading</b> | <b>Suitable for<br/>Nylon Pipe<br/>(Internal ID)</b> | <b>Standard Packing</b> |
|-------------------------------|------------------------------------------------------|-------------------------|
| M 12 x 1.5                    | 10 mm                                                | 25 Nos                  |
| M 16 x 1.5                    | 12 mm                                                | 25 Nos                  |
| M 20 x 1.5                    | 16 mm                                                | 25 Nos                  |
| M 25 x 1.5                    | 22 mm                                                | 25 Nos                  |
| M 32 x 1.5                    | 29 mm                                                | 25 Nos                  |
| M 40 x 1.5                    | 29 mm                                                | 25 Nos                  |
| M 50 x 1.5                    | 36 mm                                                | 10 Nos                  |
| M 63 x 1.5                    | 48 mm                                                | 10 Nos                  |

**Standard Colour: Black**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“Hyflex” Corrugated Flexible Pipe/ Nylon “Polypropylene (P.E.) Grade”**

| <b>Size<br/>(I.D to O.D)</b> | <b>Standard<br/>Length / Roll</b> | <b>Standard Master<br/>Packing</b> |
|------------------------------|-----------------------------------|------------------------------------|
| 10 mm – 13 mm                | 100 Meters                        | 1000 Meters                        |
| 12 mm – 16 mm                | 50 Meters                         | 500 Meters                         |
| 15 mm – 21 mm                | 50 Meters                         | 500 Meters                         |
| 20 mm – 25 mm                | 50 Meters                         | 250 Meters                         |
| 22 mm – 28 mm                | 25 Meters                         | 125 Meters                         |
| 25 mm – 32 mm                | 25 Meters                         | 125 Meters                         |
| 34 mm – 40 mm                | 25 Meters                         | 125 Meters                         |
| 43 mm – 50 mm                | 25 Meters                         | 125 Meters                         |

**Standard Colour: Black**



### **“Hyflex” Normal PVC Corrugated Flexible Pipe**

| <b>Size<br/>(I.D)</b> | <b>Standard<br/>Length / Roll</b> | <b>Standard Master<br/>Packing</b> |
|-----------------------|-----------------------------------|------------------------------------|
| 16 mm                 | 50 Meters                         | 500 Meters                         |
| 20 mm                 | 50 Meters                         | 500 Meters                         |
| 25 mm                 | 25 Meters                         | 250 Meters                         |
| 32 mm                 | 25 Meters                         | 250 Meters                         |
| 40 mm                 | 25 Meters                         | 125 Meters                         |
| 50 mm                 | 15 Meters                         | 150 Meters                         |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **Flexible Pipe Glands “CP Type”**

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | 16 mm       | 100 Nos          |
| 2.     | 20 mm       | 100 Nos          |
| 3.     | 25 mm       | 50 Nos           |
| 4.     | 32 mm       | 25 Nos           |



### **Flexible Pipe Glands “Economy”**

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | 16 mm       | 100 Nos          |
| 2.     | 20 mm       | 100 Nos          |
| 3.     | 25 mm       | 50 Nos           |
| 4.     | 32 mm       | 25 Nos           |
| 5.     | 40 mm       | 25 Nos           |
| 6.     | 50 mm       | 25 Nos           |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

**Date: 1-March-2018**



### **Steel Wire Reinforced PVC Pipe & End Fittings**

#### **Steel Wire Reinforce PVC Pipe**

| <b>Internal Diameter<br/>(MM)</b> |
|-----------------------------------|
| 10 mm                             |
| 15 mm                             |
| 20 mm                             |
| 25 mm                             |
| 30 mm                             |
| 40 mm                             |
| 50 mm                             |
| 60 mm                             |
| 75 mm                             |
| 100 mm                            |
| 125 mm                            |
| 150 mm                            |
| 175 mm                            |
| 200 mm                            |

**Standard Colour: Grey & Black**

#### **Socket for SWR Pipe**

| <b>Description</b> | <b>Suitable<br/>for SWR<br/>Pipe<br/>(MM)</b> |
|--------------------|-----------------------------------------------|
| RPG-9              | 10 mm                                         |
| RPG-13.5           | 15 mm                                         |
| RPG-16             | 20 mm                                         |
| RPG-21             | 25 mm                                         |
| RPG-29             | 30 mm                                         |
| RPG-40             | 40 mm                                         |
| RPG-48             | 50 mm                                         |

**Standard Colour: Grey & Black**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **“Flucon” Nylon PG Thread Cable Glands**

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | FC-7        | 25 Nos           |
| 2.     | FC-9        | 25 Nos           |
| 3.     | FC-11       | 25 Nos           |
| 4.     | FC-13.5     | 25 Nos           |
| 5.     | FC-16       | 25 Nos           |
| 6.     | FC-21       | 25 Nos           |
| 7.     | FC-29       | 25 Nos           |
| 8.     | FC-36       | 10 Nos           |
| 9.     | FC-42       | 5 Nos            |
| 10.    | FC-48       | 5 Nos            |
| 11.    | FC-63       | 5 Nos            |

### **“Flucon” Nylon MM Thread Cable Glands**

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | M 12 x 1.5  | 25 Nos           |
| 2.     | M 16 x 1.5  | 25 Nos           |
| 3.     | M 20 x 1.5  | 25 Nos           |
| 4.     | M 25 x 1.5  | 25 Nos           |
| 5.     | M 32 x 1.5  | 25 Nos           |
| 6.     | M 40 x 1.5  | 25 Nos           |
| 7.     | M 50 x 1.5  | 25 Nos           |

**Standard Colour: Grey & Black**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **PVC PG Thread Cable Glands**

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | PG-7        | 100 Nos          |
| 2.     | PG-9        | 100 Nos          |
| 3.     | PG-11       | 25 Nos           |
| 4.     | PG-13.5     | 25 Nos           |
| 5.     | PG-16       | 25 Nos           |
| 6.     | PG-21       | 50 Nos           |
| 7.     | PG-29       | 50 Nos           |
| 8.     | PG-36       | 25 Nos           |
| 9.     | PG-42       | 25 Nos           |
| 10.    | PG-48       | 20 Nos           |
| 11.    | PG - 63     | 10 Nos           |

| Sr No. | Particulars | Standard Packing |
|--------|-------------|------------------|
| 1.     | M 16 x 1.5  | 100 Nos          |
| 2.     | M 20 x 1.5  | 100 Nos          |
| 3.     | M 25 x 1.5  | 50 Nos           |
| 4.     | M 32 x 1.5  | 50 Nos           |

**Standard Colour: White & Black**

# **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111,+91 90245 00046,+91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

**Date: 1-March-2018**



## **“V-Care” Spiral Wrapping Band**

| Size           | STD<br>Length/<br>Coil |
|----------------|------------------------|
| 1/8” (3.5 mm)  | 50 Mtr.                |
| 1/4” (6.4 mm)  | 50 Mtr.                |
| 3/8” (9.5 mm)  | 25 Mtr.                |
| 1/2” (12.7 mm) | 25 Mtr.                |
| 5/8”(15.9 mm)  | 25 Mtr.                |
| 3/4” (19 mm)   | 25 Mtr.                |
| 1” (25 mm)     | 25 Mtr.                |

**Standard Colour:** Natural / Black

## **Metal Profiles**

| Description                   |
|-------------------------------|
| Micro Channel                 |
| MCB Channel<br>(35x7.5x1mm)   |
| Connector<br>Channel          |
| Deep Channel<br>(35x15x1.5mm) |

**Standard Length: 1 meter**

**Zinc & Yellow Plating Available  
2 meters available with lead  
time of 1 week**

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001

Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308

Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

Date: 1-March-2018



### **Cable Ties**

| <b>Sr<br/>No.</b> | <b>Particulars</b> |
|-------------------|--------------------|
| 1.                | 65 mm x 2.0 mm     |
| 2.                | 80 mm x 2.0 mm     |
| 3.                | 100 mm x 2.0 mm    |
| 4.                | 100 mm x 2.5 mm    |
| 5.                | 150 mm x 2.5 mm    |
| 6.                | 150 mm x 3.6 mm    |
| 7.                | 200 mm x 3.6 mm    |
| 8.                | 200 mm x 4.8 mm    |
| 9.                | 250 mm x 3.6 mm    |
| 10.               | 250 mm x 4.8 mm    |
| 11.               | 300 mm x 3.6 mm    |
| 12.               | 300 mm x 4.8 mm    |
| 13.               | 300 mm x 7.6 mm    |
| 14.               | 368 mm x 4.8 mm    |
| 15.               | 400 mm x 4.8 mm    |
| 16.               | 450 mm x 4.8 mm    |
| 17.               | 450 mm x 7.6 mm    |
| 18.               | 500 mm x 7.9 mm    |
| 19.               | 550 mm x 7.9 mm    |
| 20.               | 650 mm x 9.0 mm    |
| 20.               | 750 mm x 9.0 mm    |
| 21.               | 920 mm x 9.0 mm    |
| 20.               | 1220 x 9.0 mm      |

## **Arpit Marketing**

E-12 Nagori Garden, Bhilwara (Raj) - 311001  
Ph.: +91 93090 11111, +91 90245 00046, +91 1482 222308  
Email: [arpitmarketing05@gmail.com](mailto:arpitmarketing05@gmail.com)

**Date: 1-March-2018**



### **Tie Mounts**

| Sr No. | Particulars   |
|--------|---------------|
| 1      | 19 mm x 19 mm |
| 2      | 25 mm x 25 mm |



### **PVC TRUNKING**

| Size<br>(H x W) |
|-----------------|
| 16 mm x 10 mm   |
| 16 mm x 16 mm   |
| 16 mm x 25 mm   |
| 38 mm x 16 mm   |
| 25 mm x 38 mm   |
| 25 mm x 50 mm   |
| 50 mm x 50 mm   |
| 50 mm x 75 mm   |
| 75 mm x 75 mm   |
| 50 mm x 100 mm  |
| 100 mm x 100 mm |

